W in the







Chille Strate in France



INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification 7:

C07D 487/08, C07F 13/00 // (C07D 487/08, 255:00, 255:00)

A2

(11) International Publication Number:

WO 00/32601

(43) International Publication Date:

8 June 2000 (08.06.00)

(21) International Application Number:

PCT/US99/27316

(22) International Filing Date:

18 November 1999 (18.11.99)

(30) Priority Data:

60/110.309

30 November 1998 (30.11.98) US

(71) Applicant (for all designated States except US): THE PROCTER & GAMBLE COMPANY [US/US]; One Procter & Gamble Plaza, Cincinnati, OH 45202 (US).

(72) Inventors; and

- (75) Inventors/Applicants (for US only): HILER, George, Douglas, II [US/US]; 224 Countrytrace Drive, Harrison, OH 45030 (US). PERKINS, Christopher, Mark [US/US]; 7230 Fernbank Avenue, Cincinnati, OH 45233 (US).
- (74) Agents: REED, T., David et al.; The Procter & Gamble Company, 5299 Spring Grove Avenue, Cincinnati, OH 45217-1087 (US).

(81) Designated States: AE, AL, AM, AT, AT (Utility model), AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CR, CU, CZ, CZ (Utility model), DE, DE (Utility model), DK, DK (Utility model), DM, EE, EE (Utility model), ES, FI, FI (Utility model), GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SK (Utility model), SL, TJ, TM, TR, TT, UA, UG, US, UZ, VN, YU, ZA, ZW, ARIPO patent (GH, GM, KE, LS, MW, SD, SL, SZ, TZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG).

Published

Without international search report and to be republished upon receipt of that report.

(54) Title: PROCESS FOR PREPARING CROSS-BRIDGED TETRAAZA MACROCYCLES

(57) Abstract

The present invention relates to a process for preparing a cross-bridged tetraaza macrocyclic ligand having formula (I) wherein each R is independently C_1 — C_8 linear or branched alkyl, — $(CH_2)_xCO_2M$, and mixtures thereof; provided both of the R units are not methyl; M is hydrogen or a salt forming cation; x is from 1 to 6; each index n is independently from 0 to 3; by contacting a di-quaternary cis tetracycle precursor with hydrogen in the presence of a palladium catalyst in an aqueous solution having a pH of at least about 10 at a temperature of about 40 °C to about 100 °C.